


This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
1	CH'D -3 & -5 DIAMETERS FROM Ø.345 TO Ø.375 PER D.W. ADDED P/N FOR -3 & -5 MCMASTER-CARR #8935K33 IN BOM PER R.W.	3/24/11	RJC	




Superceded

RED BARN MACHINE	
TITLE JACKSCREW	
DWG NO. RBW6005G00531-3G	REV 1
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
TOLERANCES ON: DECIMALS .XXX ± .005 FRACTIONS ± 1/32 .XX ± .01 ANGLES ± 5° .X ± .1	
DRAWN BY: CLOUGH APPROVED <i>D Weil</i> HEAT TREAT FINISH CAD PLATE YELLOW SPEC QQ-P-416F, TYPE II, CLASS II	
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SCALE NTS	DATE 12-14-10 SHEET 1 of 3

ASSY QTY	ASSY QTY	B/O	PART #	UNIT QTY	DESCRIPTION	MATERIAL	B/O INFORMATION OR SPECIFICATIONS	Pg.
	X		-1	3	JACKSCREW WELDMENT			1
	1		-3		HANDLE	4140 Q&T	Ø3/8 x 2-1/2 MCMASTER-CARR #8935K33	2
	1		-5		SCREW	4140 Q&T	Ø3/8 x 6 MCMASTER-CARR #8935K33	3
ASSY	-1							

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.


REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
1	CH'D -3 & -5 DIAMETERS FROM Ø.345 TO Ø.375 PER D.W. ADDED P/N FOR -3 & -5 MCMASTER-CARR #8935K33 IN BOM PER R.W.	3/24/11	RJC	



RB RED BARN MACHINE	
TITLE JACKSCREW	
DWG NO. RBW6005G00531-3G-3	REV 1
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON: DECIMALS .XXX ± .005 .XX ± .01 .X ± .1	DRAWN BY: CLOUGH APPROVED <i>D Weil</i> HEAT TREAT FINISH SPEC
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	USED ON MODEL AW139
SCALE NTS	DATE 12-14-10 SHEET 2 of 3

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
1	CH'D -3 & -5 DIAMETERS FROM Ø.345 TO Ø.375 PER D.W. ADDED P/N FOR -3 & -5 MCMASTER-CARR #8935K33 IN BOM PER R.W.	3/24/11	RJC	



⑤
SCREW

RED BARN MACHINE	
TITLE JACKSCREW	
DWG NO. RBW6005G00531-3G-5	REV 1
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON: DECIMALS .XXX ± .005 .XX ± .01 .X ± .1	DRAWN BY: CLOUGH APPROVED <i>D Weil</i> HEAT TREAT FINISH SPEC
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	USED ON MODEL AW139
SCALE NTS	DATE 12-14-10 SHEET 3 of 3